

Cleveland Pump Repair: Photo Gallery



CPR is a 23,400 Sq. Ft. facility with 3 high bay shop areas and is located on over 2 acres of land.

Shop Machining Bay (4) Lathes; VTL; VBM; HBM; Bridgeport Mill; Radial Arm Drill; Overhead Lifting to 10T



Shop Disassembly / Assembly / Lay-out Bay Overhead lifting to 15 Ton; Hydraulic Vertical Stacking Table; Balance Stand; Blast Cleaning Booth in rear; High-bay overhead doors with docking or drive-in loading/off-loading capabilities.

Computerized Schenk Balance Stand Capacity to 7500 pounds; 30" Dia. And 168" in length



Lifting capabilities to handle from the smallest to the largest of equipment. Up to 25 Ton



Special Fixture for Final Inspection: Lift / End Float Checks on Boiler Feed Pumps



Vertical Hydraulic Stacking Table in Stainless Steel 3 week turn-around, Assembly Area



Foster Wheeler 60" Impeller 316
incl. making a pattern; 2150 pounds



I-R 28APKC Impeller (1 week turn around)
Wx 8WC137 Parts



I-R 28APKC Impeller (1 week turn around)
I-R HMTA at Disassembly



Little Pumps! Sier-Bath Gearex
Pump Cleaned and laid out for
inspection

Delaval 42"x36" CWP at final
Assembly (stands over 10' high)